

MANUFACTURERS NAME: ST&H CORPORATION	
MANUFACTURERS ADDRESS: 1270-4, JWA3-DONG, HAEUNDAE-GU, BUSAN, KOREA	
PLANT LOCATIONS: 411-3, SINWOL-LI, JINRYE-MYEON, GIMHAE-SI, GYEONGNAM, KOREA	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting AECB or ASME requirements)	TYPE OF THE STANDARDS OF CONSTRUCTION 1. ANSI VALVES API600, MSS-SP-70, 71, 86 ANSI B16.1, B16.10, B16.5, B16.25 API598 2. BUTTERFLY VALVES MSS-SP-762, BS5166, API598
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
1. MANUFACTURER'S NAME : ST&H CORPORATION 2. LOGO : ST 3. BRAND NAME: STONETOWN	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
1. SUPPORTING DOCUMENTS 1.1. ISO 9001 CERTIFICATE COPY 1.2. CATALOGUES 1.3. MTR & CLASS CERTIFICATE COPY	

DECLARATION:  
 I KUK-IN, HONG (SEE NOTE 3) employed by ST&H CORPORATION and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by LEVYUS (LRCM) as being suitable for that purpose and I hereby solemnly declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made by me.

Signature of Declarer: [Signature]

Declared before me at BUMIN LAW & NOTARY OFFICE

This 11 day of APRIL AD 2007

Commissioner of Oaths or Notary Public: (sign) [Signature]  
 (Affix Official seal to the right)

USE THIS SPACE FOR THE OFFICIAL SEAL OF THE NOTARY PUBLIC

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of compliance.

CRN: 0C0569.9REV1

FID#: 2257

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Northwest Territories  
 REGISTERED  
 UNDER THE AUTHORITY OF THE BOILER AND PRESSURE VESSEL ACT.  
 CRN: 0C0569.9 Rev. 1  
 SIGNED: [Signature]  
 DATE: 2007.04.05

850.00

N.W.

MANUFACTURERS NAME: SY&H CORPORATION	
MANUFACTURERS ADDRESS: 1270-4, JWA3-DONG, HAEUNDAE-GU, BUSAN, KOREA	
PLANT LOCATIONS: 411-3, SINWOL-LI, JINRYE-MYEON, GIMHAE-SI, GYEONGNAM, KOREA	
<b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="radio"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection for boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)	<b>TITLE OF THE STANDARD OF CONSTRUCTION</b>  1. ANSI VALVES API600, MSS-SP-70, 71, 85 ANSI B16.1, B16.10, B16.5, B16.25 API598 2. BUTTERFLY VALVES MSS-6762, BS5155, API598
<b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b> 1. MANUFACTURER'S NAME : SY&H CORPORATION 2. LOGO : ST 3. BRAND NAME: STONETOWN	<b>TYPE OF CONSTRUCTION</b> FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
<b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b>  1. SUPPORTING DOCUMENTS 1.1. ISO 9001 CERTIFICATE COPY 1.2. CATALOGUES 1.3. MTR & CLASS CERTIFICATE COPY	

DECLARATION:

I KUK-IN HONG (COO NO. 3) employed by SY&H CORPORATION and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by LI OYOS (I ROA) as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if sworn to before a court of law.


Signature of Declarer: [Signature]

Declared before me at BUMIN LAW & NOTARY OFFICE

This 11 day of APRIL AD 2007

Commissioner of Oaths or Notary Public: (sign) [Signature]

USE THIS SPACE FOR THE OFFICIAL SEAL OF THE NOTARY PUBLIC



This form for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC0569.9REV1

FID#: 2257

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer.  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

**NUNAVUT**  
 Boilers and Pressure Vessels Act

**REGISTERED**  
 CRN OC0569.9N Rev 1  
 Date 01/03/08  
 Signed [Signature]  
 Chief Inspector



the pressure equipment safety authority

STATUTORY DECLARATION  
Registration of Fittings

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.



I, KUK-IN HONG

PRESIDENT

(company title, e.g. vice president, plant manager, chief engineer) (must be in a position of authority)

of ST&H CORPORATION (1270-4 JWA3DONG, HAEUNDAEG GU, BUSAN, KOREA)

(name of manufacturer)

located at 411-3, SINWOL-LI, JINRYE-MYEON, GIMHAE-SI, GYEONGNAM, KOREA

(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

- comply with the requirements of API 600 & MSS SP 70, 71, 85 which specifies the dimensions, (title of recognized North American Standard) materials of construction, pressure/temperature ratings and identification marking of the fittings, or
- are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with \_\_\_\_\_ as supported by the attached data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, LLOYDS (LRQA) as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are CATEGORY C: VALVES

In support of this application, the following information, calculations ~~and~~ test data are attached:  
ISO 9001 CBRTIFICATE, CE/PED CERTIFICATE, CAT. DRAWINGS

DECLARED before me at \_\_\_\_\_ in the \_\_\_\_\_ of BUMIN Law & Notary Office

this 6 day of May, 2008  
(Month) (Year)

(print) NAM-SU CHANG

(sign) [Signature]  
(A Commissioner for Oaths)

[Signature]  
(Signature of Applicant)



For Office Use Only \* SEE SCOPE OF REGISTRATION DOCUMENT ATTACHED mcd

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category C

Registration Number: 000569.92

(For the Administrator/Chief Inspector of Alberta)

Date Registered: JUL 17 2008

Expiry Date: Mar. 1, 2018



TECHNICAL STANDARDS &  
SAFETY AUTHORITY  
14th Floor, Centre Tower  
3300 Bloor Street West  
Toronto, Ontario  
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below



## STATUTORY DECLARATION

### Registration of Fittings

I, KUK-IN HONG / PRESIDENT  
(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of ST&H CORPORATION (1270-4 JWA3DONG, HAEUNDAEGU, BUSAN, KOREA)  
(Name of Manufacturer)

Located at 411-3, SINWOL-LI, JINRYE-MYEON, GIMHAE-SI, GYEONGNAM, KOREA 82.51.744.4680 82.51.744.4670  
(Plant Address) (Telephone No.) (Fax No.)

do solemnly declare that the fittings listed hereunder, which are subject to the *Technical Standards and Safety Act*, Boilers and Pressure Vessels Regulation, comply with all of the requirements of API600, MSS-SP-70, 71, 85, ANSI B16.1, B16.10, B16.5, B16.25, API598, ISO5752, BS5155, API598  
(Title of recognized North American Standard)  
which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO9001 which has been verified by the following authority, LLOYDS (LRQA)

The items covered by this declaration, for which I seek registration, are category C: VALVES (ALL LINE VALVES) type fittings. In support of this application, the following information and/or test data are attached as follows:  
ISO 9001 CERTIFICATE, CATALOGUE, DRAWINGS AND PREVIOUS CRN COPY (OC0569.9C)

(drawings, calculations, test reports, etc.)

Declared before me at BUMIN LAW & NOTARY OFFICE in the \_\_\_\_\_ of \_\_\_\_\_

the 11 day of APRIL AD 2007.

Commissioner for Oaths:

NAM-SU CHANG

(Printed name)

*[Signature]*  
(Signature)

*[Signature]*

(Signature of Declarer)

#### FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the *Technical Standards and Safety Act*, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category C1

CRN: OC0569.95R1

Registered by: MANN VALVE, P. INC.

Dated: APRIL 1, 2008

NOTE: This registration expires on MARCH 1, 2013

PV 09553 (06/04)

Technical Standards and Safety Authority  
Boilers and Pressure Vessels Safety Program

**REGISTERED**

CRN: OC0569.95R1

Signed: *[Signature]*

Date: APRIL 1, 2008

NOTE: SPRING LOADED CHECK VALVES (CATALOG PAGE 28) ARE EXCLUDED FROM THE SCOPE. *[Signature]*

OM.



TECHNICAL STANDARDS &  
SAFETY AUTHORITY  
14th Floor, Centre Tower  
3300 Bloor Street West  
Toronto, Ontario  
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below



## STATUTORY DECLARATION

### Registration of Fittings

I, KUK-IN HONG / PRESIDENT  
(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of ST&H CORPORATION (1270-4 JWA3DONG, HAEUNDAEGU, BUSAN, KOREA)  
(Name of Manufacturer)

Located at 411-3, SINWOL-LI, JINRYE-MYEON, GIMHAE-SI, GYEONGNAM, KOREA 82.51.744.4680 82.51.744.4670  
(Plant Address) (Telephone No.) (Fax No.)

do solemnly declare that the fittings listed hereunder, which are subject to the *Technical Standards and Safety Act*, Boilers and Pressure Vessels Regulation, comply with all of the requirements of  
API600, MSS-SP-70, 71, 85, ANSI B16.1, B16.10, B16.5, B16.25, API598, ISO5752, BS5155, API598

(Title of Recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO9001 which has been verified by the following authority, LLOYDS (LRQA)

The items covered by this declaration, for which I seek registration, are category C: VALVES (ALL LINE VALVES) type fittings. In support of this application, the following information and/or test data are attached as follows:  
ISO 9001 CERTIFICATE, CATALOGUE, DRAWINGS AND PREVIOUS CRN COPY (OC0569.9C)

(drawings, calculations, test reports, etc.)

Declared before me at BUMIN LAW & NOTARY OFFICE in the \_\_\_\_\_ of \_\_\_\_\_

the 11 day of APRIL AD 2007.

Commissioner for Oaths:

NAM-SU CHANG

(Printed name)

*Nam Su Chang*  
(Signature)



*Kuk In Hong*  
(Signature of Declarer)

#### FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the *Technical Standards and Safety Act*, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category IC

CRN: CSA-0C0569.96R1

Registered by: R. BARNES

Dated: MAY 20, 2008

NOTE: This registration expires on MARCH 1, 2018

**REGISTERED**

CRN: CSA-0C0569.96R1

Signature: *R. Barnes*

Date: MAY 20, 2008

RV 09553 (06/04) \* NOTE: SPRING LOADED CHECK VALVES (CATALOGUE PAGE #28 ARE EXCLUDED FROM THE SCOPE, OIL, WATER, SACK



Saskatchewan  
Municipal  
Government

## Saskatchewan

PROVISION SERVICE  
530 - 10th VICTORIA AVENUE  
REGINA, SASKATCHEWAN  
S4P 3V7

147-4569

April 23, 1998

### Re: Fittings Registration

The Province of Saskatchewan will be participating with Quebec, Manitoba and the Canadian Standards Association (CSA) in a pilot project for the registration of fittings. We will recognize registrations done by CSA and accept such fittings for use in Saskatchewan.

The letters CSA will be applied as a prefix to the CRN to indicate which fittings have been registered in this manner. I would appreciate if you could inform your clients of this additional marking requirement.

You may also inform your clients that fittings registered by CSA are accepted for use in Saskatchewan.

Yours truly,

N. Surtees, P. Eng.  
Executive Director

# Manitoba



Labour

Mechanical and Engineering

500 — 401 York Avenue  
Winnipeg MB R3C 0P8  
CANADA

PH: (204) 945-3373  
FAX: (204) 948-2308

April 22, 1998

The Province of Manitoba will be participating with Quebec, Saskatchewan and the Canadian Standards Association in a pilot project for the registration of fittings. We will recognize registrations done by CSA and accept such fittings for use in Manitoba. The letters CSA will be applied in front of the CRN to indicate which fittings have been registered in this manner. I would appreciate it if you could inform your clients of this additional marking request.

You may now inform your clients that the CSA registration is acceptable in Manitoba.

Yours truly,

A handwritten signature in cursive script, appearing to read "I.W. Mault".

I.W. Mault, P.Eng.  
Director